



Test Report

KINGBOARD LAMINATES (MACAO COMMERCIAL OFFSHORE) LIMITED

AV. DA PRAIA GRANDE NO.599, EDIFICIO COMERCIAL RODRIGUES, 3RD ANDAR B, MACAU

Report No. : GZ0601006134/LP

Date : 2006/01/18

Page : 1 of 8

The following merchandise was (were) submitted and identified by the client as :

Type of Product : PAPER CLAD LAMINATES
SGS Ref No. : GZECO051219064EC-4.2
Item No. : KB-2150G/2150GC
Sample Received : DEC 22, 2005
Testing Date : DEC 22, 2005 TO DEC 29, 2005

Test Result : - Please see the next page -

Signed for and on behalf of
SGS-CSTC Ltd.

Zhang Li, Amy
Sr. Engineer

This Test Report is issued by the Company subject to its General Conditions of Service printed overleaf or attached. Said Conditions are also available upon request or are accessible at www.sgs.com. Attention is drawn to the limitations of liability, indemnification and jurisdictional policies defined therein. The results shown in this Test Report refer only to the sample(s) tested unless otherwise stated and such sample(s) are retained for 90 days only. This Test Report shall not be reproduced except in full, without written approval of the Company.



138 KEZHU Road, SCIENTECH Park Guangzhou Economic & Technology Development District, Guangzhou, China 510663
中国·广州·经济技术开发区科学城科珠路198号 邮编: 510663

t (86-20)82155555 f (86-20)82075113 www.cn.sgs.com
t (86-20)82155555 f (86-20)82075113 e sgs.china@sgs.com

GZCM 440780

Test Report

KINGBOARD LAMINATES (MACAO COMMERCIAL OFFSHORE) LIMITED
 AV. DA PRAIA GRANDE NO.599, EDIFICIO COMERCIAL RODRIGUES, 3RD ANDAR B, MACAU

Report No. : GZ0601006134/LP

Date : 2006/01/18

Page : 2 of 8

Test Result

PART NAME NO.1 : YELLOW PLASTIC SHEET

Test Item (s):	Unit	Method	MDL	Result No.1
Asbestos				
Anthrophyllite(CAS NO.017068-78-9)	%	As per NIOSH 9000 method. Analysis was performed by XRD.	1	Negative
Crocidolite(CAS NO.012001-28-4)	%	As per NIOSH 9000 method. Analysis was performed by XRD.	1	Negative
Amosite(CAS NO.012172-73-5)	%	As per NIOSH 9000 method. Analysis was performed by XRD.	1	Negative
Tremolite(CAS NO.014567-73-8)	%	As per NIOSH 9000 method. Analysis was performed by XRD.	1	Negative
Chrysotile(CAS NO.012001-29-5)	%	As per NIOSH 9000 method. Analysis was performed by XRD.	1	Negative
Actinolite(CAS NO.013768-00-8)	%	As per NIOSH 9000 method. Analysis was performed by XRD.	1	Negative
Test Item (s):	Unit	Method	MDL	Result No.1
AZO		As per LMBG 8202-2		
4-AMINODIPHENYL (CAS NO.92-67-1)	ppm	Analysis was performed by GC/MS.	3	N.D.
BENZIDINE (CAS NO.92-87-5)	ppm	Analysis was performed by GC/MS.	3	N.D.
4-CHLORO-O-TOLUIDINE (CAS NO.95-69-2)	ppm	Analysis was performed by GC/MS.	3	N.D.
2-NAPHTHYLAMINE (CAS NO.91-59-8)	ppm	Analysis was performed by GC/MS.	3	N.D.

This Test Report is issued by the Company subject to its General Conditions of Service printed overleaf or attached. Said Conditions are also available upon request or are accessible at www.sgs.com. Attention is drawn to the limitations of liability, indemnification and jurisdictional policies defined therein. The results shown in this Test Report refer only to the sample(s) tested unless otherwise stated and such sample(s) are retained for 30 days only. This Test Report shall not be reproduced except in full, without written approval of the Company.



GZCM 440781

Test Report

KINGBOARD LAMINATES (MACAO COMMERCIAL OFFSHORE) LIMITED

AV. DA PRAIA GRANDE NO.599, EDIFICIO COMERCIAL RODRIGUES, 3RD ANDAR B, MACAU

Report No. : GZ0601006134/LP

Date : 2006/01/18

Page : 3 of 8

Test Item (s):	Unit	Method	MDL	Result
				No.1
O-AMINOAZOTOLUENE (CAS NO.97-56-3)	ppm	Analysis was performed by GC/MS.	3	N.D.
2-AMINO-4-NITROTOLUENE (CAS NO.99-55-8)	ppm	Analysis was performed by GC/MS.	3	N.D.
P-CHLOROANILINE (CAS NO.106-47-8)	ppm	Analysis was performed by GC/MS.	3	N.D.
2,4-DIAMINOANISOLE (CAS NO.615-05-4)	ppm	Analysis was performed by GC/MS.	3	N.D.
4,4'-DIAMINODIPHENYLMETHANE (CAS NO.101-77-9)	ppm	Analysis was performed by GC/MS.	3	N.D.
3,3'-DICHLOROBENZIDINE (CAS NO.91-94-1)	ppm	Analysis was performed by GC/MS.	3	N.D.
3,3'-DIMETHOXYBENZIDINE (CAS NO.119-90-4)	ppm	Analysis was performed by GC/MS.	3	N.D.
3,3'-DIMETHYLBENZIDINE (CAS NO.119-93-7)	ppm	Analysis was performed by GC/MS.	3	N.D.
3,3'-DIMETHYL-4,4'-DIAMINODIPHENYLMETHANE (CAS NO.838-88-0)	ppm	Analysis was performed by GC/MS.	3	N.D.
P-CRESIDINE(2-METHOXY-5-METHYLANILINE) (CAS NO.120-71-8)	ppm	Analysis was performed by GC/MS.	3	N.D.
4,4'-METHYLENE-BIS-(2-CHLOROANILINE) (CAS NO.101-14-4)	ppm	Analysis was performed by GC/MS.	3	N.D.
4,4'-OXYDIANILINE (CAS NO.101-80-4)	ppm	Analysis was performed by GC/MS.	3	N.D.
4,4'-THIODIANILINE (CAS NO.139-65-1)	ppm	Analysis was performed by GC/MS.	3	N.D.
O-TOLUIDINE (CAS NO.95-53-4)	ppm	Analysis was performed by GC/MS.	3	N.D.
2,4-TOLUYLENEDIAMINE (CAS NO.95-80-7)	ppm	Analysis was performed by GC/MS.	3	N.D.

This Test Report is issued by the Company subject to its General Conditions of Service printed overleaf or attached. Said Conditions are also available upon request or are accessible at www.sgs.com. Attention is drawn to the limitations of liability, indemnification and jurisdictional policies defined therein. The results shown in this Test Report refer only to the sample(s) tested unless otherwise stated and such sample(s) are retained for 30 days only. This Test Report shall not be reproduced except in full, without written approval of the Company.

GZCM 440782

Test Report

KINGBOARD LAMINATES (MACAO COMMERCIAL OFFSHORE) LIMITED
 AV. DA PRAIA GRANDE NO.599, EDIFICIO COMERCIAL RODRIGUES, 3RD ANDAR B, MACAU

Report No. : GZ0601006134/LP

Date : 2006/01/18

Page : 4 of 8

Test Item (s):	Unit	Method	MDL	Result No.1
2,4,5-TRIMETHYLANILINE (CAS NO.137-17-7)	ppm	Analysis was performed by GC/MS.	3	N.D.
O-ANISIDINE (CAS NO.90-04-0)	ppm	Analysis was performed by GC/MS.	3	N.D.
P-AMINOAZOBENZENE (CAS NO.60-09-3)	ppm	Analysis was performed by GC/MS.	3	N.D.

Test Item (s):	Unit	Method	MDL	Result No.1
Halogen-Bromine (Br)(CAS No:007726-95-6)	ppm	Filling the oxygen and absorb solution in the flask and take sample in the flask and burn it, the absorb solution was analyzed by IC method.	50	N.D.
Halogen-Chlorine (Cl)(CAS No:007782-50-5)	ppm	Filling the oxygen and absorb solution in the flask and take sample in the flask and burn it, the absorb solution was analyzed by IC method.	50	N.D.

Test Item (s):	Unit	Method	MDL	Result No.1
Chlorinated Paraffin (C10~C13) (CAS NO:010871-26-2)	%	With reference to USEPA3540C or USEPA3550C. Analysis was performed by GC/MS or GC/ECD.	0.01	N.D.

Test Item (s):	Unit	Method	MDL	Result No.1
PCBs(Polychlorinated Biphenyls)(CAS NO:001336-36-3)	ppm	With reference to USEPA 8082A. Analysis was performed by GC/MS or GC/ECD.	0.5	N.D.

This Test Report is issued by the Company subject to its General Conditions of Service printed overleaf or attached. Said Conditions are also available upon request or are accessible at www.sgs.com. Attention is drawn to the limitations of liability, indemnification and jurisdictional policies defined therein. The results shown in this Test Report refer only to the sample(s) tested unless otherwise stated and such sample(s) are retained for 30 days only. This Test Report shall not be reproduced except in full, without written approval of the Company.

Test Report

KINGBOARD LAMINATES (MACAO COMMERCIAL OFFSHORE) LIMITED
 AV. DA PRAIA GRANDE NO.599, EDIFICIO COMERCIAL RODRIGUES, 3RD ANDAR B, MACAU

Report No. : GZ0601006134/LP

Date : 2006/01/18

Page : 5 of 8

Test Item (s):	Unit	Method	MDL	Result
				No.1
Monobromobiphenyl	%	With reference to USEPA3540C or USEPA3550C. Analysis was performed by HPLC/DAD, LC/MS or GC/MS. (prohibited by 2002/95/EC (RoHS), 83/264/EEC, and 76/769/EEC)	0.0005	N.D.
Dibromobiphenyl	%		0.0005	N.D.
Tribromobiphenyl	%		0.0005	N.D.
Tetrabromobiphenyl	%		0.0005	N.D.
Pentabromobiphenyl	%		0.0005	N.D.
Hexabromobiphenyl	%		0.0005	N.D.
Heptabromobiphenyl	%		0.0005	N.D.
Octabromobiphenyl	%		0.0005	N.D.
Nonabromobiphenyl	%		0.0005	N.D.
Decabromobiphenyl	%		0.0005	N.D.
Total PBBs (Polybrominated biphenyls)/Sum of above	%		-	N.D.
Monobromobiphenyl ether	%	With reference to USEPA3540C or USEPA3550C. Analysis was performed by HPLC/DAD, LC/MS or GC/MS. (prohibited by 2002/95/EC (RoHS), 83/264/EEC, and 76/769/EEC)	0.0005	N.D.
Dibromobiphenyl ether	%		0.0005	N.D.
Tribromobiphenyl ether	%		0.0005	N.D.
Tetrabromobiphenyl ether	%		0.0005	N.D.
Pentabromobiphenyl ether	%		0.0005	N.D.
Hexabromobiphenyl ether	%		0.0005	N.D.
Heptabromobiphenyl ether	%		0.0005	N.D.
Octabromobiphenyl ether	%		0.0005	N.D.
Nonabromobiphenyl ether	%		0.0005	N.D.
Decabromobiphenyl ether	%		0.0005	N.D.
Total PBBEs(PBDEs) (Polybrominated biphenyl ethers)/Sum of above	%		-	N.D.
Total of Mono to Nona-brominated biphenyl ether. (Note 4)	%	-	N.D.	

Test Item (s):	Unit	Method	MDL	Result
				No.1
Polychlorinated Naphthalene	ppm	With reference to 83/264/EEC & EPA 8270D. Analysis was performed by GC/MS.	5	N.D.

This Test Report is issued by the Company subject to its General Conditions of Service printed overleaf or attached. Said Conditions are also available upon request or are accessible at www.sgs.com. Attention is drawn to the limitations of liability, indemnification and jurisdictional policies defined therein. The results shown in this Test Report refer only to the sample(s) tested unless otherwise stated and such sample(s) are retained for 30 days only. This Test Report shall not be reproduced except in full, without written approval of the Company.



Test Report

KINGBOARD LAMINATES (MACAO COMMERCIAL OFFSHORE) LIMITED
 AV. DA PRAIA GRANDE NO.599, EDIFICIO COMERCIAL RODRIGUES, 3RD ANDAR B, MACAU

Report No. : GZ0601006134/LP

Date : 2006/01/18

Page : 6 of 8

Test Item (s):	Unit	Method	MDL	Result
				No.1
Organic-tin compounds				
Triphenyl Tin(TPI)(CAS NO:000668-34-8)	ppm	With reference to 89/677/EEC & DIN 38407. Analysis was performed by GC/FPD.	0.03	N.D.
Tributyl Tin(TBT)	ppm	With reference to 89/677/EEC & DIN 38407. Analysis was performed by GC/FPD.	0.03	N.D.

Test Item (s):	Unit	Method	MDL	Result
				No.1
PCTs(Polychlorinated Terphenyls)	ppm	Analysis was performed by GC/MS or GC/ECD.	0.5	N.D.

Test Item (s):	Unit	Method	MDL	Result
				No.1
Chromium VI (Cr+6)	ppm	UV-VIS after reference to US EPA 3060A.	2	N.D.
Cadmium (Cd)	ppm	ICP-AES after reference to US EPA 3052 or other acid	2	N.D.
Mercury (Hg)	ppm	ICP-AES after reference to US EPA 3052 or other acid digestion.	2	N.D.
Lead (Pb)	ppm	ICP-AES after reference to US EPA 3052 or other acid	2	N.D.

This Test Report is issued by the Company subject to its General Conditions of Service printed overleaf or attached. Said Conditions are also available upon request or are accessible at www.sgs.com. Attention is drawn to the limitations of liability, indemnification and jurisdictional policies defined therein. The results shown in this Test Report refer only to the sample(s) tested unless otherwise stated and such sample(s) are retained for 90 days only. This Test Report shall not be reproduced except in full, without written approval of the Company.





Test Report

KINGBOARD LAMINATES (MACAO COMMERCIAL OFFSHORE) LIMITED

AV. DA PRAIA GRANDE NO.599, EDIFICIO COMERCIAL RODRIGUES, 3RD ANDAR B, MACAU

Report No. : GZ0601006134/LP


Date : 2006/01/18

Page : 7 of 8

Test Item (s):	Unit	Method	MDL	Result
				No.1
PVC (CAS No:9002-86-2)	%	Analysis was performed by FTIR/ATR and Pyrolyzer-GC/MS.	1	Negative

- NOTE:
- (1) N.D. = Not detected (<MDL)
 - (2) ppm = mg/kg
 - (3) MDL = Method Detection Limit
 - (4) Decabromodiphenyl ether (DecaBDE) in polymeric applications is exempted by Commission Decision of 13 Oct 2005 amending Directive 2002/95/EC notified under document 2005/717/EC.
 - (5) PBBEs=PBDEs=Polybrominated Diphenyl Ethers=PBDOs=PBBOs.
 - (6) " - " = Not Regulation
 - (7) Negative = < 1.0 %, Positive = > 1.0 %
 - (8) The MDL is 5ppm for the single compound of CP
 - (9) Results shown were conducted by SGS TW LTD.
 - (10) This report is to supersede test report GZSCR0512109322/LP.

This Test Report is issued by the Company subject to its General Conditions of Service printed overleaf or attached. Said Conditions are also available upon request or are accessible at www.sgs.com. Attention is drawn to the limitations of liability, indemnification and jurisdictional policies defined therein. The results shown in this Test Report refer only to the sample(s) tested unless otherwise stated and such sample(s) are retained for 30 days only. This Test Report shall not be reproduced except in full, without written approval of the Company.



SGS-CTC Standards Technical Services Co., Ltd.
Guangzhou Chemical Laboratory

198 KEZHU Road, SCIENTECH Park, Guangzhou Economic & Technology Development District, Guangzhou, China 510663
中国·广州·经济技术开发区科学城科珠路198号 邮编: 510663

t (86-20)82155555 f (86-20)82075113 www.cn.sgs.com
t (86-20)82155555 f (86-20)82075113 e sgs.china@sgs.com

GZCM 440786

Test Report

KINGBOARD LAMINATES (MACAO COMMERCIAL OFFSHORE) LIMITED

AV. DA PRAIA GRANDE NO.599, EDIFICIO COMERCIAL RODRIGUES, 3RD ANDAR B, MACAU

Report No. : GZ0601006134/LP

Date : 2006/01/18

Page : 8 of 8



This Test Report is issued by the Company subject to its General Conditions of Service printed overleaf or attached. Said Conditions are also available upon request or are accessible at www.sgs.com. Attention is drawn to the limitations of liability, indemnification and jurisdictional policies defined therein. The results shown in this Test Report refer only to the sample(s) tested unless otherwise stated and such sample(s) are retained for 30 days only. This Test Report shall not be reproduced except in full, without written approval of the Company.

GZCM 440855